

## References

- [1] Ramakrishnan R, Gehrke J.(2003), Database Management Systems, McGraw-Hill Education Inc, 3(1), pp 59-85
- [2] Ryan Asleson and Nathaniel T. Schutta (2006), Foundations of Ajax
- [3] Vaswani V. (2007), PHP Programming Solutions, Tata McGraw-Hill Publishing Company Litmitied, 1,pp 132 -182
- [4] [en.wikipedia.org/wiki/Adobe\\_Dreamweaver](http://en.wikipedia.org/wiki/Adobe_Dreamweaver)
- [5] [en.wikipedia.org/wiki/Apache\\_HTTP\\_Server](http://en.wikipedia.org/wiki/Apache_HTTP_Server)
- [6] [en.wikipedia.org/wiki/Gantt\\_chart](http://en.wikipedia.org/wiki/Gantt_chart)
- [7] [en.wikipedia.org/wiki/Local\\_area\\_network](http://en.wikipedia.org/wiki/Local_area_network)
- [8] [en.wikipedia.org/wiki/Microsoft\\_Project](http://en.wikipedia.org/wiki/Microsoft_Project)
- [9] [en.wikipedia.org/wiki/MySQL](http://en.wikipedia.org/wiki/MySQL)
- [10] [en.wikipedia.org/wiki/Sequence\\_diagram](http://en.wikipedia.org/wiki/Sequence_diagram)
- [11] [en.wikipedia.org/wiki/Simple\\_Network\\_Management\\_Protocol](http://en.wikipedia.org/wiki/Simple_Network_Management_Protocol)
- [12] [en.wikipedia.org/wiki/Unified\\_Modeling\\_Language](http://en.wikipedia.org/wiki/Unified_Modeling_Language)
- [13] [en.wikipedia.org/wiki/Use\\_case](http://en.wikipedia.org/wiki/Use_case)
- [14] [en.wikipedia.org/wiki/Waterfall\\_model](http://en.wikipedia.org/wiki/Waterfall_model)
- [15] [en.wikipedia.org/wiki/Wide\\_area\\_network](http://en.wikipedia.org/wiki/Wide_area_network)
- [16] [www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)
- [17] [www.peoplesbank.lk/site\\_map.shtml](http://www.peoplesbank.lk/site_map.shtml)
- [18] [www.php.net/](http://www.php.net/)
- [19] [www.visual-paradigm.com/Activity](http://www.visual-paradigm.com/Activity)

## Appendix A

### User Manual

The following are the screen snap shots taken from Network Monitoring System. This will explain how user can logon and use the Network Monitoring System.




Figure A-1 : NMS Main page

Then user will get the figure A-2

A screenshot of a login form titled "LOGIN". It has two input fields: "USERNAME" and "PASSWORD", each followed by a colon. Below the fields are "RESET" and "SUBMIT" buttons. The entire form is contained within a light gray box with a dark border.

Figure A-2 : User Login page

### Figure. A-3 : NMS Main Menu

Then click on Data Link Monitoring user can monitor the Data links status from following page in figure A-3.




Figure. A-3- NMS Main Menu

University of Moratuwa, Sri Lanka.  
Figure A-3: Data Links status(branch wise) page  
Electronic Theses & Dissertations

Selecting required branch filter indicate branch then page in figure A-4 will display with service providers.




Figure. A-4 - Data Links status

#### Figure. A-5 : Data Links status for selected branch

The click on Network device button from NMS Main MeHanka.




Figure. A-5 - Device Status

#### Figure. A-6 : Add branch to the System

Selecting the Add branch option then page in Fig A-6 will be displayed.

Figure. A-6 : Add branch to the System


#### Figure. A-7 : Error checking

The click on Add Network Device button from NMS Main Menu Then the following page will appear as in figure A-7.

Figure. A-7 : Error checking

**Figure. A-8- Network Device Status**

When entered the required branch code, user can Monitor the Network Device Status from following page A-8



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
Figure. A-8- Network Device Status  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

**Figure. A-9 : Traffic Monitoring**

If the user selects Data Transfer Rate then page in figure A-9 will display with data transfer rates.

The screenshot shows a Mozilla Firefox browser window with the URL [http://localhost/NMS/Network/data\\_transfer\\_rate.php](http://localhost/NMS/Network/data_transfer_rate.php). The title bar says "DATA TRANSFER RATE - Mozilla Firefox". The main content area is titled "DATA TRANSFER RATE". It contains several input fields for configuring network parameters:

DATA TRANSFER RATE	
Branch Code	: <input type="text" value="code"/>
Name	: <input type="text" value="NMS-001"/>
Wan1 IP	: <input type="text" value="192.168.1.1"/>
Wan2 IP	: <input type="text" value="192.168.1.2"/>
Input Data Rate	: <input type="text" value="100Mbps"/>
Output Data Rate	: <input type="text" value="100Mbps"/>
LAN Data Rate	: <input type="text" value="100Mbps"/>
<input type="button" value="RESET"/>	

The left sidebar has a "DATA TRANSFER RATE" section with "Data Transfer Rate" selected. The top right corner shows a lock icon and "[admin]" and "[Logoff]" buttons.

Figure. A-9 - Traffic Monitoring

**Figure. A-10 : General User Management Menu**  
 University of Moratuwa, Sri Lanka.  
 Then select the User Management page & Dissertation display on the screen.

The screenshot shows a Mozilla Firefox browser window with the URL <http://localhost/NMS/Administration/EditUser.php>. The title bar says "ADD NEW USER - Mozilla Firefox". The main content area is titled "EDIT USER". It contains several input fields for editing user information:

EDIT USER	
USER	: <input type="text" value="ADMIN"/>
FULL NAME	: <input type="text" value="ADMIN"/>
DESCRIPTION	: <input type="text" value=""/>
ACCOUNT STATUS	: <input checked="" type="radio"/> Enable <input type="radio"/> Disable
<input type="button" value="RESET"/> <input type="button" value="SAVE"/>	

The left sidebar has a "Edit User" section with "Edit User" selected. The top right corner shows a lock icon and "[admin]" and "[Logoff]" buttons.

Figure. A-10 – User Management

**Figure. A-11 : User ID creation**

If user selects Edit user privileges in figure A-11 will display on the screen.

The screenshot shows a Mozilla Firefox browser window displaying the 'Edit User Privileges' page of a Network Monitoring System (NMS). The URL in the address bar is <http://localhost/NMS/Administration/EditPrivileges.php>. The page title is 'EDIT USER PRIVILEGES'. On the left, there's a sidebar with links for 'HOME', 'NETWORK DETAILS', 'CONFIGURATIONS', and 'ADMINISTRATION', with 'Edit Privileges' being the active link. The main content area has a form titled 'EDIT PRIVILEGES' with a dropdown menu labeled 'USER:' containing 'SELECT OFFICER-' and 'ADMIN'. Below the dropdown is a large list of checkboxes grouped under four categories: 'HOME', 'NETWORK DETAILS', 'CONFIGURATIONS', and 'ADMINISTRATION'. Under 'HOME', options include 'Network Device', 'Branch Report', 'Data Transfer Rate', and 'Overall Monitoring'. Under 'NETWORK DETAILS', options include 'Add Device' and 'Add Branches'. Under 'CONFIGURATIONS', options include 'Add User' and 'Edit User'. Under 'ADMINISTRATION', options include 'Edit User' and 'Edit Privileges'. At the bottom right of the form is a 'Submit' button. The top right of the browser window shows a lock icon, the word 'admin', and a 'Logoff' link.

Figure. A-11- Edit user privileges



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

## Appendix B

### Graphical output of Traffic




Figure. B-1 – Traffic – Union Place branch

**SLT WAN Rx Traffic – Union Place branch**  
University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)




Figure. B-2 - WAN 1 Rx Traffic




Figure. B-3 – Fast Ethernet Rx Traffic

#### Fast Ethernet Rx Traffic – Union Place branch




Figure. B-4 - Interface Traffic

### Interface Rx Traffic – Union Place branch




Figure. B-5- SLT WAN 2 Traffic

### SLT WAN Tx Traffic – Union Place branch




Figure. B-6-WAN Tx Traffic

## Appendix C

### NMS Main Screen

```
<?php
    require_once ('Class/DataBase.class.php');
    require_once ('Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(false);

    $module_id = -1;
?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
    <meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
    <title>Network Monitoring System (NMS) </title>
    <img alt="University of Moratuwa Sri Lanka Logo" data-bbox="258 488 318 528" style="vertical-align: middle; margin-right: 10px;"/>
    <h1>Electronic Theses & Dissertations</h1>
    <a href="http://www.lib.mrt.ac.lk" style="color: blue; text-decoration: none; font-size: 1em; font-weight: bold;">www.lib.mrt.ac.lk</a>
    <link rel="stylesheet" href="StyleSheets/Main.css" type="text/css" />
    <link rel="stylesheet" href="StyleSheets/AlertBox.css" type="text/css" />

    <script src="JavaScript/Environment.js" type="text/javascript"
language="JavaScript"></script>
    <script src="JavaScript/Controls.js" type="text/javascript"
language="JavaScript"></script>
    <script src="JavaScript/Main.js" type="text/javascript"
language="JavaScript"></script>
</head>

<body>
<?php require_once('Data/TemplateTop.php'); ?>

<?php require_once('Data/TemplateBottom.php'); ?>
</body>
</html>
```

# Login Page

## Pseudo Code & Relate Coding

- User logon to the system

If User name incorrect

“Display Error message”

else

“Go to menu”

```
<?php
    require_once ('Class/DataBase.class.php');
    require_once ('Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(false);
    $module_id = -1;

    $redirect = $_REQUEST['redirect'] ? $_REQUEST['redirect'] : 'index.php';
    $errorList = array();

    if(isset($_POST['op'])){
        $Username = trim($_POST['username']);
        $Password = trim($_POST['password']);
        try{
```

```

$sql = "select USERID, USERNAME, STATUS from
AP_USER where USERNAME = '$Username' and PASSWORD =
MD5('$Password')";
$result = $dbcon->executeQuery($sql);
if (mysql_num_rows($result) > 0){
    $row = mysql_fetch_assoc($result);
    if ($row['STATUS'] == 1){
        $user = new User();
        $user->setUserId($row['USERID']);
        $user->setUserName($row['USERNAME']);

        $_SESSION['USER'] = $user;
        header("Location: " . $redirect);
        die("<strong>Authentication error, Header
command failed to execute</strong>");
    }
    else {
        $errorList[] = 'Account has been disabled,
Please contact the Administrator';
    }
}
else {
    $errorList[] = 'Username/Password incorrect, Please
try again';
}

$UserLogo = ' University of Moratuwa, Sri Lanka.  

Electronic Theses & Dissertations  

www.lib.mrt.ac.lk  

catch (Exception $e) {
    $errorList[] = htmlspecialchars($e->getMessage(),
ENT_QUOTES);
}
} else {
    $Username = "";
}
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
```



```

<br />
<br />
<br />
<br />
<br />
<?php
    if (sizeof($errorList) > 0)
    {
        $error_message = '<font color="#FF0000">';
        foreach ($errorList as $error) $error_message .= '<li>' . $error .
'</li>';
        $error_message .= '</font>';

        echo '<script type="text/javascript" language="JavaScript">';
        echo "Cnt.AlertBox('WARNING MESSAGE', '$error', null,
'Warning')";
        echo '</script>';
    }
?>
<br />

<div id="shadow-container" style="width:500px;">
<div class="shadow1">
<div class="shadow2">
<div class="shadow3">
<div class="shadow4">
<div class="container">
    <form name="frm" action="<?php echo $_SERVER['PHP_SELF'] ?>" method="post">
        <input type="hidden" name="redirect" value="<?php echo $redirect ?>" />
        <input type="hidden" name="op" value="ds" />
        <table align="center" width="100%" class="table_style1" border="0" cellspacing="0">
            <thead>
                <tr>
                    <td colspan="5" style="text-align:center;">User Login</td>
                </tr>
            </thead>
            <tbody>
                <tr>
                    <td align="center" valign="top" rowspan="2">&ampnbsp</td>

```

```
name="username" value="php echo $Username ?" />
    </td>
</tr>
<tr>
    <td align="left"><strong>Password</strong></td>
    <td align="center"><strong>:</strong></td>
    <td align="center" > <input type="password" class="textbox"
name="password" maxlength="16" />
    </td>
</tr>
</tbody>
<tfoot>
<tr>
    <td colspan="5" align="right"> <input type="button"
onclick="submitForm(this)" class="button" value="Login" />
        <input type="button" onclick="resetForm(this)" class="button"
value="Reset" /></td>
    </tr>
</tfoot>
</table>
</form>
</div>
</div>
</div>
</div>
</div>
<div>
    <img alt="University of Moratuwa logo" data-bbox="115 785 205 905" style="vertical-align: middle; margin-right: 10px;" data-label="Image"/>
    University of Moratuwa, Sri Lanka.  

    Electronic Theses & Dissertations  

www.lib.mrt.ac.lk
<?php require_once('Data/TemplateBottom.php'); ?>
</body>
</html>
```



# University of Moratuwa, Sri Lanka. Electronic Theses & Dissertations

[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

```
>include('Data/TemplateBottom.php'); ?>
```

```

<?php
    require_once ('../Class/DataBase.class.php');
    require_once ('../Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(true);

    $auth->checkAccess(11, $dbcon);

    $module_id = 9;

    $errorList = array();
    $hasErrors = false;

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Branch Report</title>

<link rel="stylesheet" href="../StyleSheets/Main.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/AlertBox.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/TableStyle.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/DropShadow.css" type="text/css" />

<script src="../JavaScript/Environment.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Controls.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Main.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Ajax.js" type="text/javascript"
language="JavaScript"></script>
<script src="js/Branch_Report.js" type="text/javascript"
language="JavaScript"></script>
</head>

<body>

```

```

<?php require_once('../Data/TemplateTop.php'); ?>
<div align="center">
    <br />
    <br />

        <div id="shadow-container" style="width:845px;">
            <div class="shadow1">
                <div class="shadow2">
                    <div class="shadow3">
                        <div class="shadow4">
                            <div class="container">
                                <form name="frm" action="<?php echo $_SERVER['PHP_SELF'] ?>" method="post">
                                    <table width="800" border="1" align="center" cellpadding="0" cellspacing="0" class="table_style1">
                                        <thead>
                                            <tr>
                                                <td colspan="6">Branch Report</td>
                                            </tr>
                                        </thead>
                                        <tbody>
                                            <tr>
                                                <td align="left"><strong>Branch Code</strong></td>
                                                <td align="center"><strong>:</strong></td>
                                                <td align="center"><select class="dropdown" name="type" id="type" onchange="loadBranch(this); ">
                                                    <option value="0">-</option>
                                                    SELECT -</option>
                                                <?php
                                                    $sql =
                                                    "SELECT BRANCH_CODE FROM BRANCHES WHERE STATUS = 1";
                                                    $result =
                                                    $dbcon->executeQuery($sql);
                                                    while($row =
                                                    mysql_fetch_array($result)){
                                                        echo("<option value=" . $row['BRANCH_CODE'] . ">" .
                                                        $row['BRANCH_CODE'] . "</option>");}
                                                ?>
                                                </select>
                                            </td>
                                        </tr>
                                    </tbody>
                                </table>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
        </div>
    </div>
</body>
</html>

```

```

        <td align="center">Name</td>
        <td align="center">:</td>
        <td align="center">
            <input type="text" class="textbox" id="brnch_name"
disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td colspan="3" rowspan="2" align="center" style="padding-
top:20px;">
            <input type="button" class="button" name="cbtr" id="cbtr"
value="Critical Branch Traffic Report"
onclick="loadValues(document.getElementById('brnch_name').value,this);"
style="width:250px; font-weight:bolder; background-image:none; border:1px solid
#900;" />
        </td>
        <td align="center">Wan1 IP</td>
        <td align="center">:</td>
        <td align="center">
            <input type="text" class="textbox" id="Wan1_IP"
disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td align="center">Wan2 IP</td>
        <td align="center">:</td>
        <td align="center">
            <input type="text" class="textbox" id="Wan2_IP"
disabled="disabled" />
        </td>
    </tr>
    <tr>
        <td colspan="6" style="padding-top:10px;"><table width="800"
border="0" cellspacing="0" cellpadding="0">
            <tr>
                <td style="padding-top:10px;"><table
width="800" border="0" cellspacing="0" cellpadding="0">
                    <tr>
                        <td width="200" align="center"><input
type="button" class="button" name="btn1" id="btn1" value="Branch Traffic
Report"
onclick="loadValues(document.getElementById('brnch_name').value,this);"
style="width:190px; font-weight:normal; background-image:none; border:1px solid
#900;" />
                    </td>
                </tr>
            </table>
        </td>
    </tr>

```

```

#900;" disabled="disabled"/></td>
<td width="200" align="center"><input
type="button" class="button" name="btn2" id="btn2" value="Branch History
Report"
onclick="loadValues(document.getElementById('brnch_name').value,this);"
style="width:190px; font-weight:normal; background-image:none; border:1px solid
#900;" disabled="disabled" /></td>
<td width="200" align="center"><input
type="button" class="button" name="btn3" id="btn3" value="Branch Prediction
Report"
onclick="loadValues(document.getElementById('brnch_name').value,this);"
style="width:190px; font-weight:normal; background-image:none; border:1px solid
#900;" disabled="disabled" /></td>
<td width="200" align="center"><input
type="button" class="button" name="btn4" id="btn4" value="Hardware Prediction
Report"
onclick="loadValues(document.getElementById('brnch_name').value,this);"
style="width:190px; font-weight:normal; background-image:none; border:1px solid
#900;" disabled="disabled" /></td>
</tr>
</table></td>
</tr>
<tr>
<td style="padding:10px;"><div
id="value_lable"></div></td>

```

 University of Moratuwa, Sri Lanka.  
 Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

```

<td style="padding:5px;" align="right"><input type="reset" class="button" value="Reset"
onclick="resetForm(); " style="width:100px;" /></td>
</tr>
</table></td>
</tr>
</tbody>
<tfoot>
</tfoot>
</table>
</form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php require_once('../Data/TemplateBottom.php'); ?>
</body>
</html>

```

## Detect Data Transfer Rate

```
<?php
    require_once ('./Class/DataBase.class.php');
    require_once ('./Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(true);

    $auth->checkAccess(12, $dbcon);

    $module_id = 9;

    $errorList = array();
    $hasErrors = false;

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Data Transfer Rate</title>

University of Moratuwa, Sri Lanka.
<link rel="stylesheet" href="../StyleSheets/Main.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/AlertBox.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/TableStyle.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/DropShadow.css" type="text/css" />

<script src="../JavaScript/Environment.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Controls.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Main.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Ajax.js" type="text/javascript"
language="JavaScript"></script>
<script src="js/data_transfer_rate.js" type="text/javascript"
language="JavaScript"></script>
</head>

<body>
<?php require_once('../Data/TemplateTop.php'); ?>
<div align="center">
```

```

<br />
<br />

<div id="shadow-container" style="width:700px;">
<div class="shadow1">
<div class="shadow2">
<div class="shadow3">
<div class="shadow4">
<div class="container">
<form name="frm" action=<?php echo $_SERVER['PHP_SELF'] ?>" method="post">
    <table align="center" width="100%" class="table_style1" border="1" cellspacing="0">
        <thead>
            <tr>
                <td colspan="6">Data Transfer Rate</td>
            </tr>
        </thead>
        <tbody>
            <tr>
                <td align="center"><strong>Branch Code</strong></td>
                <td align="center"><strong>:</strong></td>
                <td align="center"> <select class="dropdown" name="type" onchange="loadBranch(this)">
                    <option value="0">- SELECT- </option>
                    <?php
                        $sql =
                            "SELECT BRANCH_CODE FROM BRANCHES WHERE STATUS = 1";
                        $result =
                            $dbcon->executeQuery($sql);
                        while($row =
                            mysql_fetch_array($result)){
                                echo("<option value=" . $row['BRANCH_CODE'] . ">" .
                                $row['BRANCH_CODE'] . "</option>");
                            }
                    ?>
                    </select> </td>
            </tr>
            <tr>
                <td align="center">Name</td>
                <td align="center">:</td>
                <td align="center"> <input type="text" class="textbox" id="brnch_name">
            </tr>
        </tbody>
    </table>
</div>
</div>
</div>

```

```

disabled="disabled" />
    </td>
</tr>
<tr>
    <td align="center">Wan1 IP</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="Wan1_IP" disabled="disabled" />
        </td>
</tr>
<tr>
    <td align="center">Wan2 IP</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="Wan2_IP" disabled="disabled" />
        </td>
</tr>
<tr>
    <td align="center">Input Data Rate</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="in_data_rate" disabled="disabled" />
        </td>
</tr>
<tr>
    <td align="center">Output Data Rate</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="out_data_rate" disabled="disabled" />
        </td>
</tr>
<tr>
    <td align="center">LAN Data Rate</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="lan_data_rate" disabled="disabled" />
        </td>
</tr>
</tbody>
<tfoot>
<tr>
    <td colspan="6" align="right"> <input type="reset" class="button"

```

```
value="Reset" />
    </td>
    </tr>
    </tfoot>
    </table>
    </form>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
<?php require_once('..Data/TemplateBottom.php'); ?>
</body>
</html>
```



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

## Overall Monitoring

```
<?php
    require_once ('../Class/DataBase.class.php');
    require_once ('../Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(true);

    $auth->checkAccess(13, $dbcon);

    $module_id = 9;

    $errorList = array();
    $hasErrors = false;

?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Overall Monitoring</title>
 www.lib.mrt.ac.lk Electronic Theses & Dissertations
<link rel="stylesheet" href="../StyleSheets/Main.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/AlertBox.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/TableStyle.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/DropShadow.css" type="text/css" />

<script src="../JavaScript/Environment.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Controls.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Main.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Ajax.js" type="text/javascript"
language="JavaScript"></script>
<script src="js/data_transfer_rate.js" type="text/javascript"
language="JavaScript"></script>
<script type="text/javascript" language="javascript">
```



## Network Devices

- Alert System

If database input Zero

“Generate warning message”

Else

“No message

```
<?php
    require_once ('../Class/DataBase.class.php');
    require_once ('../Class/Authentication.class.php');

    session_start();
    $dbcon = new DataBase();
    $auth = new Authentication(true);

    $auth->checkAccess(10, $dbcon);

    $module_id = 9;

    $errorList = array();
    $hasErrors = false;
?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Network Devices</title>

<link rel="stylesheet" href="../StyleSheets/Main.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/AlertBox.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/TableStyle.css" type="text/css" />
<link rel="stylesheet" href="../StyleSheets/DropShadow.css" type="text/css" />

<script src="../JavaScript/Environment.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Controls.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Main.js" type="text/javascript"
language="JavaScript"></script>
<script src="../JavaScript/Ajax.js" type="text/javascript"
language="JavaScript"></script>
<script src="js/Network_Device.js" type="text/javascript">
```

```

<div align="center">
    <br />
    <br />

<div id="shadow-container" style="width:700px;">
    <div class="shadow1">
        <div class="shadow2">
            <div class="shadow3">
                <div class="shadow4">
                    <div class="container">
                        <form name="frm" action=<?php echo $_SERVER['PHP_SELF'] ?>" method="post">
                            <table align="center" width="100%" class="table_style1" border="1" cellspacing="0">
                                <thead>
                                    <tr>
                                        <td colspan="6">Network Devices</td>
                                    </tr>
                                </thead>
                                <tbody>
                                    <tr>
                                        <td align="left"><strong>Branch Code</strong></td>
                                        <td align="center"><strong>:</strong></td>
                                        <td align="center"><select class="dropdown" name="type" onchange="loadBranch(this);">
                                            <option value="0">- Select -</option>
                                            <?php
                                                $sql = "select
BRANCH_CODE from BRANCHES where STATUS = 1";
                                                $result =
$dbcon->executeQuery($sql);
                                                while($row =
mysql_fetch_array($result)){
                                                    echo("<option value=" . $row['BRANCH_CODE'] . ">" .
$row['BRANCH_CODE'] . "</option>");
                                                }
                                            ?>
                                            </select> </td>
                                        <td align="center">Name</td>
                                        <td align="center">:</td>
                                        <td align="center"> <input type="text" class="textbox"

```

```

readonly="readonly" />
    </td>
</tr>
<tr>
    <td align="left">&nbsp;</td>
    <td align="center">&nbsp;</td>
    <td align="center">&nbsp;</td>
    <td align="center">Wan1 IP</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="Wan1_IP" readonly="readonly" />
    </td>
</tr>
<tr>
    <td align="left">&nbsp;</td>
    <td align="center">&nbsp;</td>
    <td align="center">&nbsp;</td>
    <td align="center">Wan2 IP</td>
    <td align="center">:</td>
    <td align="center"> <input type="text" class="textbox"
id="Wan2_IP" readonly="readonly" />
    </td>
</tr>
<tr>
    <td align="center" colspan="3" rowspan="2" border="0">

University of Moratuwa, Sri Lanka  

Electronic Theses & Dissertations
</td>
    <td align="center"> <input type="button" class="button"
name="btnStl_dsu" value="SLT DSU" onclick="loadValues(this);"/>
    </td>
</tr>
<tr>
    <td align="center"> <input type="button" class="button"
name="btnS_d_mux" value="S/D MUX" onclick="loadValues(this);"/>
    </td>
</tr>
<tr>
    <td align="center"> <input type="button" class="button"
name="btnRouter" value="ROUTER" onclick="loadValues(this);"/>
    </td>
</tr>
<tr>
    <td align="center"> <input type="button" class="button"

```

```

name="btnSwitch" value="SWITCH" onclick="loadValues(this);"/>
    </td>
    </tr>
    </table></td>
<td align="center" colspan="3" rowspan="4" style="width:100%;">
<tr>
    <td align="left" id="value_lable">Item</td>
    <td align="left">:</td>
    <td align="left"> <input type="text" class="textbox"
id="txtValue" readonly="readonly" style="width:100px;" />
    </td>
</tr>
<tr>
    <td align="left" id="value_lable">Status</td>
    <td align="left">:</td>
    <td align="left"> <input type="text" class="textbox"
id="txtStatus" readonly="readonly" style="width:100px;" />
    </td>
</tr>
</table>
<table border="1" width="100%">
<tr>
    <td align="left">Data Rates</td>
</tr>
<tr>
    <td align="left" id="value_lable">In Coming Rate</td>
    <td align="left">:</td>
    <td align="left"> <input type="text" class="textbox"
id="txtIn_rate" readonly="readonly" style="width:100px;" />
    </td>
</tr>
<tr>
    <td align="left">Out Going Rate</td>
    <td align="left">:</td>
    <td align="left"> <input type="text" class="textbox"
id="txtOut_rate" readonly="readonly" style="width:100px;" />
    </td>
</tr>
</table></td>
</tr>
</tbody>

```



University of Moratuwa, Sri Lanka.  
 Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

```
<tfoot>
<tr>
    <td colspan="6" align="right"> <input type="reset" class="button"
value="RESET" onclick="resetForm();"/>
    </td>
</tr>
</tfoot>
</table>
</form>
</div>
<?php require_once('.. /Data/TemplateBottom.php'); ?>
</body>
</html>
```



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

## NMS- Uptime Monitor ( To send SMS )

```
!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>NMS Uptime Monitor</title>
<script language="JavaScript" type="text/javascript">
///////////////////////////////
// CONFIGURATION STARTS HERE

// Configure refresh interval (in seconds)
var refreshinterval=30

// Shall the countdown be displayed inside your status bar? Say "yes" or "no"
below:
var displaycountdown="yes"

// CONFIGURATION ENDS HERE
///////////////////////////////

// Do not edit the code below
var starttime
var nowtime
var reloadseconds=0
var secondssinceloaded=0
 University of Moratuwa, Sri Lanka.
Electronic Theses & Dissertations
www.lib.mrt.ac.lk

function starttime() {
    starttime=new Date()
    starttime=starttime.getTime()
    countdown()
}

function countdown() {
    nowtime= new Date()
    nowtime=nowtime.getTime()
    secondssinceloaded=(nowtime-starttime)/1000
    reloadseconds=Math.round(refreshinterval-secondssinceloaded)
    if (refreshinterval>=secondssinceloaded) {
        var timer=setTimeout("countdown()",1000)
        if (displaycountdown=="yes") {
            window.status="Page refreshing in "+reloadseconds+
seconds"
        }
    }
}
```

```

        clearTimeout(timer)
            window.location.reload(true)
        }
    }
window.onload=starttime
</script>

<style type="text/css">
<!--
.style1 {
    color: #003399;
    font-weight: bold;
    font-size: 24px;
}
.style3 {color: #003399; }
.style4 {color: #666600}
.style7 {color: #990000}
.style8 {
    color: #006600;
    font-weight: bold;
}
.style11 {
    color: #003399;
    font-weight: bold;
    font-style: italic;
    font-size: 12px;
}
.style13 {color: #990033; font-weight: bold; }
-->
</style>
</head>

<body>
<?PHP
    require('conn.php');
?>
<h2>&nbsp;</h2>
<p>&nbsp;</p>
<table width="872" height="260" border="0" align="center"
bordercolor="#FFFFFF" bgcolor="#FFFFFF">
<tr>
    <td height="53" colspan="3"><h2 class="style1">NMS Uptime
Monitor</h2></td>
    ...

```

```

<tr>
<td height="43" colspan="3"><h3 class="style3">Current Configurations
</h3></td>
</tr>
<tr>
<td width="196" height="38"><span class="style4">Last Refresh
Time</span></td>
<td colspan="2"><span class="style4"><strong><?php echo date('d-m-y
H:i:s')."<BR>" ; ?></strong></span></td>
</tr>
<tr>
<td height="30"><span class="style4">Alerts Destinaton </span></td>
<td colspan="2"><span class="style4"><strong><?php echo $pno;
?></strong></span></td>
</tr>
<tr>
<td height="31" class="style4">Top Level Alert Destination </td>
<td colspan="2"><span class="style4"><strong><?php echo $TLApno; ?>
</strong></span><span class="style11">Alert will be sent to a pre-defined top
level Manager after a 4 hours of delay </span></td>
<td width="6">&nbsp;</td>
</tr>
<tr>
<td colspan="3" style="text-align: center;">

University of Moratuwa, Sri Lanka.  

Electronic Theses & Dissertations  

www.lib.mrt.ac.lk
<td colspan="3" style="text-align: center;">
<?php
echo "<p></p> ";
//echo date('I jS \of F Y h:i:s A');
$sql="SELECT * FROM branches WHERE WAN1_IP_STATUS='0' OR
WAN2_IP_STATUS='0' ORDER BY WAN1_IP_STATUS";
$result=mysql_query($sql);

while($row=mysql_fetch_array($result)){
    if($row['ALERT_STATUS']==0) {
        $node = "";
        $type = "";
        if ($row['WAN2_IP_STATUS']==0){
            $node = "WAN2";
        } else {
            $node = "WAN1";
        }
        $date = date('d-m-Y H:i:s');
        $query="INSERT INTO alert_log (node, type, date) VALUES ('$node', '$type', '$date')";
        mysql_query($query);
    }
}

```

```

        }

$insertSql = "INSERT INTO alert (BRANCH_ID, NODE,
TYPE) VALUES ('".$row['BRANCH_ID']."', '".$node."', 'ALERT')";
$result0=mysql_query($insertSql);

$updateSql="UPDATE branches SET ALERT_STATUS =
1, ALERT_TIME = now() WHERE BRANCH_ID = ".$row['BRANCH_ID'].";
$result0=mysql_query($updateSql);

$msg=$row['NAME']."' branch is down ...";
$txt="smssender.exe /p:$pno /m:\"$msg\" /l";
$fp = fopen('sms.bat', 'w');
fwrite($fp, $txt);
fclose($fp);

} else if($row['RECOVERY_STATUS'] == 0) {
    if(      time() - strtotime($row['ALERT_TIME']) > 14400){
        $topMsg= "Connectivity of the ".$row['NAME']."' branch is down for more than 4 hours, Please have your attention";
        $txt="smssender.exe /p:$TLApmo /m:\"$topMsg\" /l";
        $fp = fopen('sms.bat', 'w');
        fwrite($fp, $txt);
        fclose($fp);
    }
}
} University of Moratuwa, Sri Lanka.
)?> Electronic Theses & Dissertations
<tr><td>
<td height="28" class="style4"><?php echo $row['NAME'];
?></td>
<td height="28" class="style4"><?php
    if($row['WAN1_IP_STATUS'] == 0){ echo "WAN1"; } else
{ echo "WAN2";}?></td>
<td height="28" class="style4"><?php echo $row['ALERT_TIME']; ?></td>
</tr>
<?php
    //echo $msg."<br>";
?
?>
<tr>
<td colspan="3">&ampnbsp</td>
</tr>
<tr>

```

```

<td height="31" colspan="3" class="style7"><span
class="style8">Branches recovered recently</span></td>
</tr>

<?php
$recSql="SELECT * FROM branches WHERE
RECOVERY_STATUS = '1'";
$recResult=mysql_query($recSql);
//echo $recSql;
while($row=mysql_fetch_array($recResult)){
    if($row['WAN2_IP_STATUS'] == 1 &&
$row['WAN1_IP_STATUS'] == 1) {
        $updateRecSql="UPDATE branches SET
ALERT_STATUS = 0, ALERT_TIME = null, RECOVERY_STATUS = 0,
RECOVERY_TIME = null WHERE BRANCH_ID = ".$row['BRANCH_ID'].";
        $result00=mysql_query($updateRecSql);
    } else {
        $updateRecSql="UPDATE branches SET
RECOVERY_STATUS = 0, RECOVERY_TIME = " WHERE BRANCH_ID =
".$row['BRANCH_ID'].";
        $result00=mysql_query($updateRecSql);
    }
}
?>
<tr>
<td height="28" class="style4"><?php echo
$row['NAME']; ?></td>
<td height="28" class="style4"><?php
if($row['WAN1_IP_STATUS'] == 0){ echo
"WAN1"; } else { echo "WAN2"; }?></td>
<td height="28" class="style4"><?php echo
$row['RECOVERY_TIME']; ?></td>
</tr>
<?php
}
?>
</table>
<p>&nbsp;</p>
</body>
</html>

```

## Appendix D

### Test Cases

The test cases used and the results are given below.

#### Test cases for user login authentication.

Test case No.	Description	Expected output	System created output	Status
1	User login with valid user id & password	Display the NMS Main Menu	Display the NMS Main Menu	Success
2	Enter valid user id with invalid password	“Invalid password” message prompt for the user login again	“Invalid password” message prompt for the user login again	Success
3	Enter Invalid user id with valid password	“Invalid user id” message prompt for the user login again	“Invalid user id” message prompt for the user login again	Success
4	Enter Invalid user id with Invalid password	“Invalid user id” message prompt for the user login again	“Invalid user id” message prompt for the user login again	Success
5	Press the login button without any values.	“Invalid user id” message prompt for the user login again	“Invalid user id” message prompt for the user login again	Success

Table D.1 - Test cases for user login authentication

### Test cases for Tracing the Route.

Test case No.	Description	Expected output	System created output	Status
1	Enter Invalid IP	“Invalid IP” message prompt for the Tracing the Route again	“Invalid IP” message prompt for the Tracing the Route again	Success
2	Enter Blank	“Invalid IP” message prompt for the Tracing the Route again	“Invalid IP” message prompt for the Tracing the Route again	Success
3	Enter non existing IP	Tracing the hop by hop and cannot trace the IP	Tracing the hop by hop and cannot trace the IP	Success
4	Enter valid existing IP	Tracing the hop by hop and trace the particular IP	Tracing the hop by hop and trace the particular IP	Success

Table D-2 - Test cases for Tracing the Route.

### Test cases for Error checking.

Test case No.	Description	Expected output	System created output	Status
1	Enter Invalid Branch code	“Invalid Branch” message prompt for the Error checking again	“Invalid Branch” message prompt for the Error checking again	Success
2	Enter Blank	“Invalid Branch” message prompt for the Error checking again	“Invalid Branch” message prompt for the Error checking again	Success
3	Enter valid existing Branch code	Display the errors for given Branch	Display the errors for given Branch	Success

Table – D-3- Test Cases for Error Checking

**Test cases for Network Device Status.**

Test case No.	Description	Expected output	System created output	Status
1	Enter Invalid Branch code	“Invalid Branch” message prompt for the Network device status again	“Invalid Branch” message prompt for the Network device status again	Success
2	Enter Blank	“Invalid Branch” message prompt for the Network device status again	“Invalid Branch” message prompt for the Network device status again	Success
3	Enter valid existing Branch code	Display the Network Device Status for given Branch	Display the Network Device Status for given Branch	Success

**Table D-4 - Test cases for Network Device Status**

**Test cases for Configuration Management.**

Test case No.	Description	Expected output	System created output	Status
1	Enter Invalid Branch code	“Invalid Branch” message prompt for the configuration management again	“Invalid Branch” message prompt for the configuration management again	Success
2	Enter Blank	“Invalid Branch” message prompt for the configuration management again	“Invalid Branch” message prompt for the configuration management again	Success
3	Enter valid existing Branch code	Display the existing Maximum values for given Branch	Display the existing Maximum values for given Branch	Success

**Table D-5 - Test cases for Configuration Management**

### Test cases for Data Transfer Rate.

Test case No.	Description	Expected output	System created output	Status
1	Enter Invalid Branch code	“Invalid Branch” message prompt for the Data Transfer Rate again	“Invalid Branch” message prompt for the Data Transfer Rate again	Success
2	Enter Blank	“Invalid Branch” message prompt for the Data Transfer Rate again	“Invalid Branch” message prompt for the Data Transfer Rate again	Success
3	Enter valid existing Branch code	Display the last five minutes input, output and LAN Data Rates for given Branch	Display the last five minutes input, output and LAN Data Rates for given Branch	Success

**Table D-6 - Test cases for Data Transfer Rate**

Save test procedures were carried out for the user and other form submitting interfaces and all the test cases were successful. Normal user interfaces tested by Data centre staff and required output given by the system. Administrative interfaces tested by myself. The test data and user acceptance test results as follows

**Test Cases**

**University of Moratuwa, Sri Lanka**  
**Electronic Theses & Dissertations**  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

The interface used to logon to the system

Test Case	Input Data	Expected Result	Output Result
Login with incorrect user id	Xyz	User not exists message display	User not exists message display
Login with incorrect password	Abcde	Incorrect user name or password	Incorrect user name or password
Login with correct user id and password	xyz xyz123	Load NMS Main menu	Load NMS Main menu

**Table D-7 - Test Results of the Login Form**

## Tracing the Route used for Troubleshooting

Test Case	Input Data	Expected Result	Output Result
Enter Invalid IP	12.35.2 or 12..3.5.6 or 12.267.6.5	“Invalid IP” message display	“Invalid IP” message display
Enter Blank		“Invalid IP” message display	“Invalid IP” message display
Enter non existing IP	15.47.7.1	Tracing the hop by hop and cannot trace the IP	Tracing the hop by hop and cannot trace the IP
Enter valid existing IP	15.2.4.1	Tracing the hop by hop and trace the particular IP	Tracing the hop by hop and trace the particular IP

**Table D-8 - Test Results of the Trace route Form**

## Error checking form

Test Case	Input Data	Expected Result	Sri Lanka Electronic Theses & Dissertations	Output Result
Enter Invalid Branch code	A250 <a href="http://www.lib.mrt.ac.lk">www.lib.mrt.ac.lk</a>	“Invalid Branch code” message display	“Invalid Branch code” message display	“Invalid Branch code” message display
Enter Blank		“Invalid Branch code” message display	“Invalid Branch code” message display	“Invalid Branch code” message display
Enter non existing Branch code	6785	“Invalid Branch code” message display	“Invalid Branch code” message display	“Invalid Branch code” message display
Enter valid Branch code	225	Display the Errors for given branch	Display the Errors for given branch	Display the Errors for given branch

**Table D-9 - Error checking form**

**Test Results of the Error Checking Form**  
Network Device Status form

Test Case	Input Data	Expected Result	Output Result
Enter Invalid Branch code	A250	“Invalid Branch code” message display	“Invalid Branch code” message display
Enter Blank		“Invalid Branch code” message display	“Invalid Branch code” message display
Enter non existing Branch code	6785	“Invalid Branch code” message display	“Invalid Branch code” message display
Enter valid Branch code	225	Display the Network Device Status given branch	Display the Network Device Status given branch

**Table D-10 Network Device Status form**



University of Moratuwa, Sri Lanka.  
Electronic Theses & Dissertations  
[www.lib.mrt.ac.lk](http://www.lib.mrt.ac.lk)

